

Área Forestal Protectora Región Amazónica Municipio de Córdoba

File Geodatabase Feature Class



Tags

Área Forestal Protectora, Municipio de Córdoba, 25k

Summary

La capa contiene las areas forestales protectoras extraidas del Plan de ordenacion Forestal departamento de Nariño a escala 1:25.000

Description

La capa contiene las areas forestales protectoras extraidas del Plan de ordenacion Forestal departamento de Nariño a escala 1:25.000

Credits

CORPONARIÑO

Use limitations

There are no access and use limitations for this item.

Extent

West	-77.408476	East	-77.182975
North	0.826996	South	0.639695

Scale Range

Maximum (zoomed in)	1:5,000
Minimum (zoomed out)	1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ►

TITLE Área Forestal Protectora Región Amazónica Municipio de Córdoba

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Resource Details ►

DATASET LANGUAGES * Spanish; Castilian (COLOMBIA)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.2.0.3348

CREDITS

CORPONARIÑO

ARCgis ITEM PROPERTIES

* NAME AFP_Amazonia_Municipio_de_Córdoba

* SIZE 1.097

* LOCATION file:///\\NAVARRO\\E\$\\amazonia\\Cartografia\\Productos Municipio de Córdoba\\Región Amazónica Municipio de Córdoba.gdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -77.408476

* EAST LONGITUDE -77.182975

* NORTH LATITUDE 0.826996

* SOUTH LATITUDE 0.639695

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 4509206.428800

* EAST LONGITUDE 4534338.154100

* SOUTH LATITUDE 1628937.925600

* NORTH LATITUDE 1649666.645000

* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCgis COORDINATE SYSTEM

* TYPE Projected

* GEOGRAPHIC COORDINATE REFERENCE GCS_MAGNA

* PROJECTION CTM12 COLOMBIA

* COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

X ORIGIN -618700

Y ORIGIN -8436100

XY SCALE 10000

Z ORIGIN -100000
 Z SCALE 10000
 M ORIGIN -100000
 M SCALE 10000
 XY TOLERANCE 0.001
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 WELL-KNOWN TEXT PROJCS["CTM12 COLOMBIA",GEOGCS["GCS_MAGNA",DATUM
 ["D_MAGNA",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM
 ["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION
 ["Transverse_Mercator"],PARAMETER["False_Easting",5000000.0],PARAMETER
 ["False_Northing",2000000.0],PARAMETER["Central_Meridian",-73.0],PARAMETER
 ["Scale_Factor",0.9992],PARAMETER["Latitude_Of_Origin",4.0],UNIT["Meter",1.0]]

REFERENCE SYSTEM IDENTIFIER

* VALUE 0
 * CODESPACE EPSG
 * VERSION 8.1.1

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME AFP_Amazonia_Municipio_de_Córdoba

* OBJECT TYPE composite

* OBJECT COUNT 1

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME AFP_Amazonia_Municipio_de_Córdoba

* FEATURE TYPE Simple

* GEOMETRY TYPE Polygon

* HAS TOPOLOGY FALSE

* FEATURE COUNT 1

* SPATIAL INDEX TRUE

* LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2014-07-09 12:52:23

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\Project

COMMAND ISSUED

Project UAC_LIAS D:\Documentos\Trabajo\ASOCARS\UAC_LIAS\SIG\Vector\UAC_LLAS.shp

```

PROJCS['MAGNA_Colombia_Oeste',GEOGCS['GCS_MAGNA',DATUM['D_MAGNA',SPHEROID
['GRS_1980',6378137.0,298.257222101]],PRIMEM['Greenwich',0.0],UNIT
['Degree',0.0174532925199433]],PROJECTION['Transverse_Mercator'],PARAMETER
['False_Easting',1000000.0],PARAMETER['False_Northing',1000000.0],PARAMETER
['Central_Meridian',-77.07750791666666],PARAMETER['Scale_Factor',1.0],PARAMETER
['Latitude_Of_Origin',4.596200416666666],UNIT['Meter',1.0]] MAGNA_To_WGS_1984_1
PROJCS['Lambert_Azimutal_Colombia',GEOGCS['GCS_WGS_1984',DATUM
['D_WGS_1984',SPHEROID['WGS_1984',6378137.0,298.257223563]],PRIMEM
['Greenwich',0.0],UNIT['Degree',0.0174532925199433]],PROJECTION
['Lambert_Azimutal_Equal_Area'],PARAMETER['False_Easting',0.0],PARAMETER
['False_Northing',0.0],PARAMETER['Central_Meridian',-76.0],PARAMETER
['Latitude_Of_Origin',6.0],UNIT['Meter',1.0]]

```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-08-04 19:03:14

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField SocioEconomico Ambiente "Marino" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-08-04 19:04:45

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField SocioEconomico Ambiente "Costero" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-08-04 19:05:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField SocioEconomico Ambiente "Marino" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-08-18 13:26:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures

COMMAND ISSUED

CopyFeatures D:\Documentos\Trabajo\ASOCARS\UAC_LIAS\SIG\Tematicos\UAC.shp
 "D:\Documentos\Trabajo\ASOCARS\UAC_LIAS\SIG\Tematicos\Wtrabajo\New Personal
 Geodatabase.mdb\UAC\UAC" # 0 0 0

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2018-08-06 10:00:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField UAC_Jurisdiccion Departamen "PNN" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2018-08-06 10:08:24

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField UAC_Jurisdiccion Departamen "PNN" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2018-08-06 15:44:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField UAC_Jurisdiccion Departamen "PNN" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2018-09-20 11:23:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField UAC_Jurisdiccion FUENTE "Versión delimitación UAC: 10 de julio 2014" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2018-09-20 11:31:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField UAC_Jurisdiccion Jurisdicci [Departamen] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class

TRANSFER OPTIONS

* TRANSFER SIZE 1.097

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT [AFP_Amazonia_Municipio_de_Córdoba ►](#)

* TYPE Feature Class

* ROW COUNT 1

FIELD [OBJECTID_12 ►](#)

* ALIAS OBJECTID_12
 * DATA TYPE OID
 * WIDTH 4
 * PRECISION 0
 * SCALE 0
 * FIELD DESCRIPTION
 Internal feature number.

* DESCRIPTION SOURCE
 Esri

* DESCRIPTION OF VALUES
 Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID_12 ▲

FIELD OBJECTID_1 ►

* ALIAS OBJECTID_1
 * DATA TYPE Integer
 * WIDTH 4
 * PRECISION 0
 * SCALE 0
 * FIELD DESCRIPTION
 Internal feature number.

* DESCRIPTION SOURCE
 Esri

* DESCRIPTION OF VALUES
 Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID_1 ▲

FIELD OBJECTID ►

* ALIAS OBJECTID
 * DATA TYPE Integer
 * WIDTH 4
 * PRECISION 0
 * SCALE 0
 * FIELD DESCRIPTION
 Internal feature number.

* DESCRIPTION SOURCE
 Esri

* DESCRIPTION OF VALUES
 Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD OBJECTID_2 ►

- * ALIAS OBJECTID_2
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0

Hide Field OBJECTID_2 ▲

FIELD Shape ►

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Coordinates defining the features.

Hide Field Shape ▲

FIELD FUENTE ►

- * ALIAS FUENTE
- * DATA TYPE String
- * WIDTH 80
- * PRECISION 0
- * SCALE 0

Hide Field FUENTE ▲

FIELD Ambiente ►

- * ALIAS Ambiente
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field Ambiente ▲

FIELD Jurisdicci ►

- * ALIAS Jurisdicci
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field Jurisdicci ▲

FIELD [FID_CRITER](#) ▶
* ALIAS FID_CRITER
* DATA TYPE Integer
* WIDTH 4
* PRECISION 0
* SCALE 0

[Hide Field FID_CRITER](#) ▲

FIELD [TIPO_AREA](#) ▶
* ALIAS TIPO_AREA_
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field TIPO_AREA](#) ▲

FIELD [AREA_EN_HE](#) ▶
* ALIAS AREA_EN_HE
* DATA TYPE Single
* WIDTH 4
* PRECISION 0
* SCALE 0

[Hide Field AREA_EN_HE](#) ▲

FIELD [nombre](#) ▶
* ALIAS nombre
* DATA TYPE String
* WIDTH 254
* PRECISION 0
* SCALE 0

[Hide Field nombre](#) ▲

FIELD [id_pnn](#) ▶
* ALIAS id_pnn
* DATA TYPE String
* WIDTH 254
* PRECISION 0
* SCALE 0

[Hide Field id_pnn](#) ▲

FIELD [categoria](#) ▶
* ALIAS categoria
* DATA TYPE String
* WIDTH 254
* PRECISION 0
* SCALE 0

[Hide Field categoria](#) ▲

FIELD **territoria** ▶

- * ALIAS **territoria**
- * DATA TYPE **String**
- * WIDTH **254**
- * PRECISION **0**
- * SCALE **0**

*Hide Field **territoria** ▲*FIELD **resolucion** ▶

- * ALIAS **resolucion**
- * DATA TYPE **String**
- * WIDTH **254**
- * PRECISION **0**
- * SCALE **0**

*Hide Field **resolucion** ▲*FIELD **hectareas_** ▶

- * ALIAS **hectareas_**
- * DATA TYPE **Double**
- * WIDTH **8**
- * PRECISION **0**
- * SCALE **0**

*Hide Field **hectareas_** ▲*FIELD **escala** ▶

- * ALIAS **escala**
- * DATA TYPE **String**
- * WIDTH **254**
- * PRECISION **0**
- * SCALE **0**

*Hide Field **escala** ▲*FIELD **organizaci** ▶

- * ALIAS **organizaci**
- * DATA TYPE **String**
- * WIDTH **254**
- * PRECISION **0**
- * SCALE **0**

*Hide Field **organizaci** ▲*FIELD **fecha_act** ▶

- * ALIAS **fecha_act**
- * DATA TYPE **String**
- * WIDTH **254**
- * PRECISION **0**
- * SCALE **0**

Hide Field fecha_act ▲

FIELD url ►

- * ALIAS url
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field url ▲

FIELD wkid ►

- * ALIAS wkid
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

Hide Field wkid ▲

FIELD app_id ►

- * ALIAS app_id
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

Hide Field app_id ▲

FIELD record_id ►

- * ALIAS record_id
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

Hide Field record_id ▲

FIELD centroid_x ►

- * ALIAS centroid_x
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

Hide Field centroid_x ▲

FIELD centroid_y ►

- * ALIAS centroid_y
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

[Hide Field centroid_y ▲](#)

FIELD [fecha_regi ►](#)

- * ALIAS [fecha_regi](#)
- * DATA TYPE [String](#)
- * WIDTH [254](#)
- * PRECISION [0](#)
- * SCALE [0](#)

[Hide Field fecha_regi ▲](#)

FIELD [validado ►](#)

- * ALIAS [validado](#)
- * DATA TYPE [String](#)
- * WIDTH [254](#)
- * PRECISION [0](#)
- * SCALE [0](#)

[Hide Field valido ▲](#)

FIELD [hectarea_1 ►](#)

- * ALIAS [hectarea_1](#)
- * DATA TYPE [Double](#)
- * WIDTH [8](#)
- * PRECISION [0](#)
- * SCALE [0](#)

[Hide Field hectarea_1 ▲](#)

FIELD [perimetro_ ►](#)

- * ALIAS [perimetro_](#)
- * DATA TYPE [Double](#)
- * WIDTH [8](#)
- * PRECISION [0](#)
- * SCALE [0](#)

[Hide Field perimetro_ ▲](#)

FIELD [globalid ►](#)

- * ALIAS [globalid](#)
- * DATA TYPE [String](#)
- * WIDTH [254](#)
- * PRECISION [0](#)
- * SCALE [0](#)

[Hide Field globalid ▲](#)

FIELD [gdb_geomat ►](#)

- * ALIAS [gdb_geomat](#)
- * DATA TYPE [String](#)
- * WIDTH [254](#)
- * PRECISION [0](#)

* SCALE 0

Hide Field gdb_geomat ▲

FIELD sde_state_ ►

* ALIAS sde_state_
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

Hide Field sde_state_ ▲

FIELD CATEGORIA_ ►

* ALIAS CATEGORIA_
* DATA TYPE String
* WIDTH 100
* PRECISION 0
* SCALE 0

Hide Field CATEGORIA_ ▲

FIELD Id ►

* ALIAS Id
* DATA TYPE Integer
* WIDTH 4
* PRECISION 0
* SCALE 0

Hide Field Id ▲

FIELD AREA ►

* ALIAS area
* DATA TYPE Integer
* WIDTH 4
* PRECISION 0
* SCALE 0

Hide Field AREA ▲

FIELD hect ►

* ALIAS hect
* DATA TYPE Integer
* WIDTH 4
* PRECISION 0
* SCALE 0

Hide Field hect ▲

FIELD SHAPE_Leng ►

* ALIAS SHAPE_Leng
* DATA TYPE Double
* WIDTH 8

* PRECISION 0
* SCALE 0

Hide Field SHAPE_Leng ▲

FIELD area_has ►

* ALIAS area_has
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

Hide Field area_has ▲

FIELD AreaHas ►

* ALIAS AreaHas
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

Hide Field AreaHas ▲

FIELD Area_Prote ►

* ALIAS Area_Prote
* DATA TYPE String
* WIDTH 30
* PRECISION 0
* SCALE 0

Hide Field Area_Prote ▲

FIELD AreaM2 ►

* ALIAS AreaM2
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

Hide Field AreaM2 ▲

FIELD Shape_Le_1 ►

* ALIAS Shape_Le_1
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

Hide Field Shape_Le_1 ▲

FIELD Shape_Le_2 ►

* ALIAS Shape_Le_2
* DATA TYPE Double

- * WIDTH 8
- * PRECISION 0
- * SCALE 0

Hide Field Shape_Le_2 ▲

FIELD Shape_Le_3 ►

- * ALIAS Shape_Le_3
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

Hide Field Shape_Le_3 ▲

FIELD Shape_Length ►

- * ALIAS Shape_Length
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Length of feature in internal units.

- * DESCRIPTION SOURCE
Esri

- * DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

Hide Field Shape_Length ▲

FIELD Shape_Area ►

- * ALIAS Shape_Area
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Area of feature in internal units squared.

- * DESCRIPTION SOURCE
Esri

- * DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

Hide Field Shape_Area ▲

Hide Details for object AFP_Amazonia_Municipio_de_Córdoba ▲

[Hide Fields ▲](#)

Metadata Details ►

- * METADATA LANGUAGE Spanish; Castilian (COLOMBIA)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
SCOPE NAME * dataset

* LAST UPDATE 2024-08-30

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE FGDC CSDGM Metadata
STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2024-08-30 20:38:06
LAST MODIFIED IN ARCGIS FOR THE ITEM 2024-08-30 21:23:56

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2024-08-30 21:23:40

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2024-08-29 17:32:06
FROM E:\amazonia\Cartografia\Insumos nuevos agregar\Shape\AFP_gen_Amazonia
TO \\NAVARRO\E\$\amazonia\Cartografia\Productos General\18. Áreas Forestales
Protectoras Región Amazónica\Shape File\AFP_gen_Amazonia

[Hide Metadata Details ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL
THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼