

Degradación_del_suelo_por_Erosión

File Geodatabase Feature Class



Tags

Suelo, Erosión, 100K

Summary

Comprende la información espacial referente al estado de la degradación de los suelos por diferentes procesos erosivos.

Description

Comprende la información espacial referente al estado de la degradación de los suelos por diferentes procesos erosivos en la Región Amazónica en el departamento de Nariño. Dicha información espacial está conformada por su agente detonante, el proceso y la intensidad con la que se presenta la degradación de los suelos por erosión en el área continental de Colombia, apoyados con información base entre los años 2010 y 2011.

Credits

Datos abiertos IDEAM

Use limitations

There are no access and use limitations for this item.

Extent

West -77.676590 **East** -76.903197
North 1.500668 **South** 0.361135

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

[Hide Topics and Keywords ▲](#)

Citation ►

* TITLE Degradación_del_suelo_por_Erosión

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Resource Details ►

DATASET LANGUAGES * Spanish; Castilian (COLOMBIA)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.2.0.3348

CREDITS

Datos abiertos IDEAM

ARCGIS ITEM PROPERTIES

* NAME Degradación_del_suelo_por_Erosión

* SIZE 1.073

* LOCATION file:///\\NAVARRO\\E\$\\amazonia\\Cartografia\\Productos General\\Region Amazonica Depto Nariño.gdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -77.676590

* EAST LONGITUDE -76.903197

* NORTH LATITUDE 1.500668

* SOUTH LATITUDE 0.361135

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 4479416.298300

* EAST LONGITUDE 4565515.813500
 * SOUTH LATITUDE 1598083.975700
 * NORTH LATITUDE 1724240.619200
 * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected
 * GEOGRAPHIC COORDINATE REFERENCE GCS_MAGNA
 * PROJECTION CTM12 COLOMBIA
 * COORDINATE REFERENCE DETAILS
 PROJECTED COORDINATE SYSTEM
 X ORIGIN -618700
 Y ORIGIN -8436100
 XY SCALE 10000
 Z ORIGIN -100000
 Z SCALE 10000
 M ORIGIN -100000
 M SCALE 10000
 XY TOLERANCE 0.001
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 WELL-KNOWN TEXT PROJCS["CTM12 COLOMBIA",GEOGCS["GCS_MAGNA",DATUM["D_MAGNA",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Transverse_Mercator"],PARAMETER["False_Easting",5000000.0],PARAMETER["False_Northing",2000000.0],PARAMETER["Central_Meridian",-73.0],PARAMETER["Scale_Factor",0.9992],PARAMETER["Latitude_Of_Origin",4.0],UNIT["Meter",1.0]]

REFERENCE SYSTEM IDENTIFIER

* VALUE 0
 * CODESPACE EPSG
 * VERSION 8.1.1

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME Degradación_del_suelo_por_Erosión
 * OBJECT TYPE composite
 * OBJECT COUNT 59

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME Degradación_del_suelo_por_Erosión
 * FEATURE TYPE Simple
 * GEOMETRY TYPE Polygon
 * HAS TOPOLOGY FALSE
 * FEATURE COUNT 59
 * SPATIAL INDEX TRUE
 * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME
 DATE 2015-09-16 10:52:59
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField "Erosión de los suelos en Colombia 2010-2011" ZONIFICACION "4" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 10:53:31
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField "Erosión de los suelos en Colombia 2010-2011" ZONIFICACION "3" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 10:53:43
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField "Erosión de los suelos en Colombia 2010-2011" ZONIFICACION "1" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 10:53:57
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED

```
CalculateField "Erosión de los suelos en Colombia 2010-2011" ZONIFICACION "2" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 10:54:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "Erosión de los suelos en Colombia 2010-2011" ZONIFICACION "8" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 10:54:36
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "Erosión de los suelos en Colombia 2010-2011" ZONIFICACION "7" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 10:54:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "Erosión de los suelos en Colombia 2010-2011" ZONIFICACION "6" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 10:55:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "Erosión de los suelos en Colombia 2010-2011" ZONIFICACION "5" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 11:12:36
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures
COMMAND ISSUED
CopyFeatures
M:\JULIO\IDEAM\DEGRADACION_DE_SUELOS_POR_EROSION\SIG_DSE_Vector\DSE\Metadatos\Oficializacion\FGDB\ECOSISTEMAS_E_INFORMACION_AMBIENTAL_JULIO
M:\JULIO\IDEAM\DEGRADACION_DE_SUELOS_POR_EROSION\SIG_DSE_Vector\DSE\Metadatos\Oficializacion\SHP\E_DS_Erosion_100K_2010_2011.shp # 0 0 0
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 11:25:40
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 TIPO_ "Eólica" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 11:30:30
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 TIPO_ "Eólica" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 11:31:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 TIPO_ "Hídrica" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 11:31:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 TIPO_ "Hídrica y Eólica" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 11:32:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 TIPO_ "No Suelo" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 11:32:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 TIPO_ "Sin Evidencia" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME
DATE 2015-09-16 11:33:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
```

CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Sin Evidencia" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:33:45
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Laminar" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:35:50
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Laminar y Surcos" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:36:13
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Surcos y Cárcavas" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:36:36
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Terraceo y Laminar" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:37:08
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Terraceo y Surcos" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:37:24
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Depresión de Deflacción" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:37:44
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Pavimento del Desierto" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:38:00
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "Deflación / Dunas" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:38:22
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 CLASE_ "No Suelo" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:39:01
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 GRADO_ "Ligera" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:39:23
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 GRADO_ "Moderada" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:39:37
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 GRADO_ "Muy Severa" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:39:57
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 GRADO_ "No Suelo" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:40:14
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 GRADO_ "Severa" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:40:44
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 GRADO_ "Sin Evidencia" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:41:13
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 BASE_CAR_1 "Zonas Urbanas" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:41:36
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 BASE_CAR_1 "Cuerpos de Agua" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:41:57
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 BASE_CAR_1 "Afloramientos Rocosos" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:42:27
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 ZONIFI_ "Erosión Muy Severa" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:42:49
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 ZONIFI_ "Erosión Severa" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:43:14
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 ZONIFI_ "Erosión Moderada" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:43:46
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 ZONIFI_ "Erosión Ligera" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:44:14
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 ZONIFI_ "Sin Evidencia de Erosión" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
 DATE 2015-09-16 11:44:29
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
 COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 ZONIFI_ "Sin Suelo con Afloramiento Rocosos" VB #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

```

PROCESS NAME
DATE 2015-09-16 11:44:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 ZONIFI_ "Sin Suelo con Cuerpos de Agua" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 11:45:03
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 ZONIFI_ "Sin Suelo en Zonas Urbanas" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 11:45:40
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 Area_Km_ [Area_Kilom] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 11:46:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 Area_Ha_ [Area_Hecta] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 11:46:42
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 RULEID_ [RULEID_] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 11:47:08
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 RULEID_ [RULEID] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 11:56:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 TIPO [TIPO_] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 12:02:32
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 CLASE [CLASE_] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 12:02:58
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 GRADO [GRADO_] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 12:03:25
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 BASE_CARTO [BASE_CAR_1] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 12:04:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 ZONIFICACI [ZONIFI_] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 12:06:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField E_DS_Erosion_100K_2010_2011 Area_Km2 [Area_Km_] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

```

PROCESS

```

PROCESS NAME
DATE 2015-09-16 12:06:41

```

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 Area_Ha [Area_Ha_] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-16 12:08:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
 CalculateField E_DS_Erosion_100K_2010_2011 RULEID [RULEID_] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-16 12:09:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx>DeleteField
COMMAND ISSUED
 DeleteField E_DS_Erosion_100K_2010_2011 TIPO_;CLASE_;GRADO_;BASE_CAR_1;ZONIFI_;Area_Km;Area_Ha;RULEID_
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTION FORMAT

* **NAME** File Geodatabase Feature Class

TRANSFER OPTIONS

* **TRANSFER SIZE** 1.073

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT Degradación_del_suelo_por_Erosión ►

* **TYPE** Feature Class
 * **ROW COUNT** 59

FIELD OBJECTID_1 ►

* **ALIAS** OBJECTID_1
 * **DATA TYPE** OID
 * **WIDTH** 4
 * **PRECISION** 0
 * **SCALE** 0
 * **FIELD DESCRIPTION**
 Internal feature number.
 * **DESCRIPTION SOURCE**
 Esri
 * **DESCRIPTION OF VALUES**
 Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID_1 ▲](#)

FIELD OBJECTID ►

* **ALIAS** OBJECTID
 * **DATA TYPE** Integer
 * **WIDTH** 4
 * **PRECISION** 0
 * **SCALE** 0
 * **FIELD DESCRIPTION**
 Internal feature number.
 * **DESCRIPTION SOURCE**
 Esri
 * **DESCRIPTION OF VALUES**
 Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD Shape ►

* **ALIAS** Shape
 * **DATA TYPE** Geometry
 * **WIDTH** 0
 * **PRECISION** 0
 * **SCALE** 0
 * **FIELD DESCRIPTION**
 Feature geometry.
 * **DESCRIPTION SOURCE**
 Esri
 * **DESCRIPTION OF VALUES**
 Coordinates defining the features.

[Hide Field Shape ▲](#)

FIELD TIPO ▶

* ALIAS TIPO
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field TIPO ▲](#)

FIELD CLASE ▶

* ALIAS CLASE
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field CLASE ▲](#)

FIELD GRADO ▶

* ALIAS GRADO
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field GRADO ▲](#)

FIELD BASE_CARTO ▶

* ALIAS BASE_CARTO
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field BASE_CARTO ▲](#)

FIELD ZONIFICACI ▶

* ALIAS ZONIFICACI
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field ZONIFICACI ▲](#)

FIELD Area_Km2 ▶

* ALIAS Area_Km2
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

[Hide Field Area_Km2 ▲](#)

FIELD Area_Ha ▶

* ALIAS Area_Ha
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

[Hide Field Area_Ha ▲](#)

FIELD SHAPE_Area ▶

* ALIAS Shape_Area
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0
* FIELD DESCRIPTION
Area of feature in internal units squared.

* DESCRIPTION SOURCE
Esri

* DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

[Hide Field SHAPE_Area ▲](#)

FIELD Shape_Leng ▶

* ALIAS Shape_Leng
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

Hide Field Shape_Leng ▲

- FIELD Shape_Length ▶
- * ALIAS Shape_Length
 - * DATA TYPE Double
 - * WIDTH 8
 - * PRECISION 0
 - * SCALE 0
 - * FIELD DESCRIPTION
Length of feature in internal units.
 - * DESCRIPTION SOURCE
Esri
 - * DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

Hide Field Shape_Length ▲

- FIELD RULEID ▶
- * ALIAS RULEID
 - * DATA TYPE Integer
 - * WIDTH 4
 - * PRECISION 0
 - * SCALE 0

Hide Field RULEID ▲

Hide Details for object Degradación_del_suelo_por_Erosión ▲

Hide Fields ▲

Metadata Details ▶

- * METADATA LANGUAGE Spanish; Castilian (COLOMBIA)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format
- SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
- SCOPE NAME * dataset
- * LAST UPDATE 2024-06-22
- ARC GIS METADATA PROPERTIES
 - METADATA FORMAT ArcGIS 1.0
 - METADATA STYLE Item Description
 - STANDARD OR PROFILE USED TO EDIT METADATA ItemDescription
- CREATED IN ARC GIS FOR THE ITEM 2024-06-14 19:24:56
- LAST MODIFIED IN ARC GIS FOR THE ITEM 2024-06-22 13:06:41
- AUTOMATIC UPDATES
 - HAVE BEEN PERFORMED Yes
 - LAST UPDATE 2024-06-22 13:06:41
- ITEM LOCATION HISTORY
 - ITEM COPIED OR MOVED 2024-06-14 19:25:54
 - FROM E:\amazonia\CTM12\Degradación_del_suelo_por_Erosión
 - TO \\NAVARRO\E\$\amazonia\Cartografía\Productos\Mapa 6\Shape File\Degradación_del_suelo_por_Erosión

Hide Metadata Details ▲

Thumbnail and Enclosures ▶

- THUMBNAIL
- THUMBNAIL TYPE JPG

Hide Thumbnail and Enclosures ▲

FGDC Metadata (read-only) ▼