

## Proceso\_de\_Praderización\_Buesaco

File Geodatabase Feature Class



Tags

Praderización, Municipio de Buesaco, 100K

### Summary

Capa Multitemporal de Praderización (2020v1 - 2022 v2) de la Región Amazónica en el departamento de Nariño escala 1:100.000 contiene la capa de la dinámica de los pastos para el periodo de tiempo del año 2020-2022, dentro del área de la Región Amazónica en el Municipio de Buesaco.

### Description

Capa Multitemporal de Praderización (2020v1 - 2022 v2) de la Región Amazónica en el departamento de Nariño escala 1:100.000 contiene la capa de la dinámica de los pastos para el periodo de tiempo del año 2020-2022. Esta capa es el insumo para el cálculo del indicador Tasa Media Anual de Praderización - TMAP (ha/año). La actualización y mantenimiento de los datos se realiza con una temporalidad de 2 y 5 años. En esta capa se relacionan los cambios en las áreas (ha) de pastos entre el periodo 2020-2022. Estos cambios pueden estar representados como áreas de Pastos sin cambio, aquellas coberturas que permanecieron sin cambio durante el periodo de análisis; áreas de Pastos ganado, aquellas en las que en el año 2020 no se presentaba pasto y en el año 2022 se reportaba esta cobertura y, áreas de Pastos perdidos son aquellas en las que en el año 2020 se presentaba pasto y en el año 2022 no se reportaba esta cobertura. Adicionalmente, se incluyen las áreas que no han sido pastos en ninguno de los dos años reportados en el mapa de coberturas, las cuales se clasifican como Otras coberturas.

### Credits

Portal de Datos abiertos del Sistema de Información Ambiental Territorial de la Amazonia colombiana

### Use limitations

There are no access and use limitations for this item.

### Extent

**West** -77.131586 **East** -76.933006  
**North** 1.290343 **South** 1.182461

### Scale Range

**Maximum (zoomed in)** 1:5,000  
**Minimum (zoomed out)** 1:150,000,000

### ArcGIS Metadata ►

#### Topics and Keywords ►

\* CONTENT TYPE Downloadable Data

[Hide Topics and Keywords ▲](#)

#### Citation ►

\* TITLE Proceso\_de\_Praderización\_Buesaco

PRESENTATION FORMATS \* digital map

[Hide Citation ▲](#)

#### Resource Details ►

DATASET LANGUAGES \* Spanish; Castilian (COLOMBIA)

SPATIAL REPRESENTATION TYPE \* vector

\* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.2.0.3348

#### CREDITS

Portal de Datos abiertos del Sistema de Información Ambiental Territorial de la Amazonia colombiana

#### ARC GIS ITEM PROPERTIES

\* NAME Proceso\_de\_Praderización\_Buesaco

\* SIZE 0.017

\* LOCATION file:///\\NAVARRO\\E\$\\amazonia\\Cartografia\\Productos Municipio de Buesaco\\Región Amazónica Municipio de Buesaco .gdb

\* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

#### Extents ►

EXTENT

GEOGRAPHIC EXTENT  
 BOUNDING RECTANGLE  
 EXTENT TYPE Extent used for searching  
 \* WEST LONGITUDE -77.131586  
 \* EAST LONGITUDE -76.933006  
 \* NORTH LATITUDE 1.290343  
 \* SOUTH LATITUDE 1.182461  
 \* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM  
 \* WEST LONGITUDE 4540156.571900  
 \* EAST LONGITUDE 4562276.701900  
 \* SOUTH LATITUDE 1689037.425100  
 \* NORTH LATITUDE 1700953.099900  
 \* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

## Spatial Reference ►

ARCGIS COORDINATE SYSTEM  
 \* TYPE **Projected**  
 \* GEOGRAPHIC COORDINATE REFERENCE GCS\_MAGNA  
 \* PROJECTION CTM12 COLOMBIA  
 \* COORDINATE REFERENCE DETAILS  
 PROJECTED COORDINATE SYSTEM  
 X ORIGIN -618700  
 Y ORIGIN -8436100  
 XY SCALE 10000  
 Z ORIGIN -100000  
 Z SCALE 10000  
 M ORIGIN -100000  
 M SCALE 10000  
 XY TOLERANCE 0.001  
 Z TOLERANCE 0.001  
 M TOLERANCE 0.001  
 HIGH PRECISION true  
 WELL-KNOWN TEXT PROJCS["CTM12 COLOMBIA",GEOGCS["GCS\_MAGNA",DATUM["D\_MAGNA",SPHEROID  
 ["GRS\_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION  
 ["Transverse\_Mercator"],PARAMETER["False\_Easting",5000000.0],PARAMETER["False\_Northing",2000000.0],PARAMETER["Central\_Meridian",-  
 73.0],PARAMETER["Scale\_Factor",0.9992],PARAMETER["Latitude\_Of\_Origin",4.0],UNIT["Meter",1.0]]  
 REFERENCE SYSTEM IDENTIFIER  
 \* VALUE 0  
 \* CODESPACE EPSG  
 \* VERSION 8.1.1

[Hide Spatial Reference ▲](#)

## Spatial Data Properties ►

VECTOR ►  
 \* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only  
 GEOMETRIC OBJECTS  
 FEATURE CLASS NAME Proceso\_de\_Praderización\_Buesaco  
 \* OBJECT TYPE composite  
 \* OBJECT COUNT 1

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►  
 FEATURE CLASS NAME Proceso\_de\_Praderización\_Buesaco  
 \* FEATURE TYPE Simple  
 \* GEOMETRY TYPE Polygon  
 \* HAS TOPOLOGY FALSE  
 \* FEATURE COUNT 1  
 \* SPATIAL INDEX TRUE  
 \* LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

## Geoprocessing history ►

PROCESS  
 PROCESS NAME Create Feature Class  
 DATE 2023-04-17 08:46:30  
 TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\CreateFeatureclass  
 COMMAND ISSUED  
 CreateFeatureclass C:\sinchi\tmp\temp.gdb tasa Polygon  
 C:\sinchi\conn\sigs\_sinchi\_e4.sde\labsigysr\_corp.e4\_indicadores.MonAmbMultiTemp100K\labsigysr\_corp.e4\_indicadores.CPra2020\_2022 No  
 No "GEOGCS["GCS\_SIRGAS",DATUM["D\_SIRGAS",SPHEROID["GRS\_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT  
 ["Degree",0.0174532925199433]];-400 -400 1000000000;-100000 10000;-100000 10000;8.98315284119521E-09;0.001;0.001;IsHighPrecision"  
 # 0 0 0 #  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

PROCESS NAME Select

DATE 2023-04-17 08:46:31

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Analysis Tools.tbx\Select

## COMMAND ISSUED

Select C:\sinchi\tmp\temp.gdb\tasa

C:\sinchi\conn\sig\_sinchi\_pub\_e4.sde\labsigysr\_pub.e4\_indicadores.MonAmbMultiTemp100K\labsigysr\_pub.e4\_indicadores.CPra2020\_2022 #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

PROCESS NAME Append

DATE 2023-04-17 08:49:40

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\Append

## COMMAND ISSUED

Append

C:\sinchi\conn\sig\_sinchi\_e4.sde\labsigysr\_corp.e4\_indicadores.MonAmbMultiTemp100K\labsigysr\_corp.e4\_indicadores.CPra2020\_2022

C:\sinchi\conn\sig\_sinchi\_pub\_e4.sde\labsigysr\_pub.e4\_indicadores.MonAmbMultiTemp100K\labsigysr\_pub.e4\_indicadores.CPra2020\_2022

"Input fields must match target fields" # # #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

PROCESS NAME

DATE 2023-04-17 10:24:31

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass

## COMMAND ISSUED

FeatureClassToFeatureClass "Praderización 100K" "Z:\6 SIATAC\2 Plataforma\1 Servicios

geográficos\MAC DatosAbiertos\Praderización\SHp" TMAP Region\_100K\_2020\_2022.shp # "praderizacion "Praderización" true true false

25 Text 0 0,First,#,Praderización 100K,praderizacion,0,25;area\_ha "area\_ha" true true false 8 Double 8 38,First,#,Praderización

100K,area\_ha,-1,-1;st\_area(shape) "st\_area(shape)" false false true 0 Double 0 0,First,#,Praderización 100K,st\_area(shape),-1,-

1;st\_perimeter(shape) "st\_perimeter(shape)" false false true 0 Double 0 0,First,#,Praderización 100K,st\_perimeter(shape),-1,-1" #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)**Distribution ►**

## DISTRIBUTION FORMAT

\* NAME File Geodatabase Feature Class

## TRANSFER OPTIONS

\* TRANSFER SIZE 0.017

[Hide Distribution ▲](#)**Fields ►**DETAILS FOR OBJECT **Proceso\_de\_Praderización\_Buesaco ►**

\* TYPE Feature Class

\* ROW COUNT 1

FIELD **OBJECTID\_12 ►**

\* ALIAS OBJECTID\_12

\* DATA TYPE OID

\* WIDTH 4

\* PRECISION 0

\* SCALE 0

\* FIELD DESCRIPTION

Internal feature number.

\* DESCRIPTION SOURCE

Esri

\* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID\\_12 ▲](#)FIELD **OBJECTID\_1 ►**

\* ALIAS OBJECTID\_1

\* DATA TYPE Integer

\* WIDTH 4

\* PRECISION 0

\* SCALE 0

\* FIELD DESCRIPTION

Internal feature number.

\* DESCRIPTION SOURCE

Esri

\* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID\\_1 ▲](#)

## FIELD OBJECTID ▶

- \* ALIAS OBJECTID
- \* DATA TYPE Integer
- \* WIDTH 4
- \* PRECISION 0
- \* SCALE 0
- \* FIELD DESCRIPTION  
Internal feature number.
- \* DESCRIPTION SOURCE  
Esri
- \* DESCRIPTION OF VALUES  
Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

## FIELD area\_ha ▶

- \* ALIAS area\_ha
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

[Hide Field area\\_ha ▲](#)

## FIELD praderizac ▶

- \* ALIAS praderizac
- \* DATA TYPE String
- \* WIDTH 25
- \* PRECISION 0
- \* SCALE 0

[Hide Field praderizac ▲](#)

## FIELD shape ▶

- \* ALIAS Shape
- \* DATA TYPE Geometry
- \* WIDTH 0
- \* PRECISION 0
- \* SCALE 0
- \* FIELD DESCRIPTION  
Feature geometry.
- \* DESCRIPTION SOURCE  
Esri
- \* DESCRIPTION OF VALUES  
Coordinates defining the features.

[Hide Field shape ▲](#)

## FIELD st\_area\_sh ▶

- \* ALIAS st\_area\_sh
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

[Hide Field st\\_area\\_sh ▲](#)

## FIELD st\_perimet ▶

- \* ALIAS st\_perimet
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

[Hide Field st\\_perimet ▲](#)

## FIELD Shape\_Leng ▶

- \* ALIAS Shape\_Leng
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

[Hide Field Shape\\_Leng ▲](#)

## FIELD Shape\_Le\_1 ▶

- \* ALIAS Shape\_Le\_1

\* DATA TYPE Double  
\* WIDTH 8  
\* PRECISION 0  
\* SCALE 0

[Hide Field Shape\\_Le\\_1 ▲](#)

FIELD Shape\_Length ►  
\* ALIAS Shape\_Length  
\* DATA TYPE Double  
\* WIDTH 8  
\* PRECISION 0  
\* SCALE 0  
\* FIELD DESCRIPTION  
Length of feature in internal units.  
  
\* DESCRIPTION SOURCE  
Esri  
  
\* DESCRIPTION OF VALUES  
Positive real numbers that are automatically generated.

[Hide Field Shape\\_Length ▲](#)

FIELD Shape\_Area ►  
\* ALIAS Shape\_Area  
\* DATA TYPE Double  
\* WIDTH 8  
\* PRECISION 0  
\* SCALE 0  
\* FIELD DESCRIPTION  
Area of feature in internal units squared.  
  
\* DESCRIPTION SOURCE  
Esri  
  
\* DESCRIPTION OF VALUES  
Positive real numbers that are automatically generated.

[Hide Field Shape\\_Area ▲](#)

[Hide Details for object Proceso\\_de\\_Praderización\\_Buesaco ▲](#)

[Hide Fields ▲](#)

**Metadata Details ►**

\* METADATA LANGUAGE Spanish; Castilian (COLOMBIA)  
\* METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA \* dataset  
SCOPE NAME \* dataset

\* LAST UPDATE 2024-07-02

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0  
METADATA STYLE FGDC CSDGM Metadata  
STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2024-06-26 10:00:14  
LAST MODIFIED IN ARCGIS FOR THE ITEM 2024-07-02 18:06:42

AUTOMATIC UPDATES  
HAVE BEEN PERFORMED Yes  
LAST UPDATE 2024-07-02 18:06:42

ITEM LOCATION HISTORY  
ITEM COPIED OR MOVED 2024-06-26 17:34:37  
FROM E:\amazonia\Cartografia\Productos Municipio de Funes\09. Proceso de praderización Región Amazónica Municipio de\Shape  
File\Proceso\_de\_Praderización\_Buesaco  
TO \\NAVARRO\E\$\amazonia\Cartografia\Productos Municipio de Buesaco\09. Proceso de praderización Región Amazónica Municipio de\Shape  
File\Proceso\_de\_Praderización\_Buesaco

[Hide Metadata Details ▲](#)

**Thumbnail and Enclosures ►**

THUMBNAIL  
THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

**FGDC Metadata (read-only) ▼**