

Proceso_de_praderización_Pasto

File Geodatabase Feature Class



Tags

Praderización, Municipio de Pasto, 100K

Summary

Capa Multitemporal de Praderización (2020v1 - 2022 v2) dentro del área de la Región Amazónica en el municipio de Pasto, escala 1:100.000 contiene la capa de la dinámica de los pastos para el periodo de tiempo del año 2020-2022.

Description

Capa Multitemporal de Praderización (2020v1 - 2022 v2) de la Región Amazónica en el departamento de Nariño escala 1:100.000 contiene la capa de la dinámica de los pastos para el periodo de tiempo del año 2020-2022. Esta capa es el insumo para el cálculo del indicador Tasa Media Anual de Praderización - TMAP (ha/año). La actualización y mantenimiento de los datos se realiza con una temporalidad de 2 y 5 años. En esta capa se relacionan los cambios en las áreas (ha) de pastos entre el periodo 2020-2022. Estos cambios pueden estar representados como áreas de Pastos sin cambio, aquellas coberturas que permanecieron sin cambio durante el periodo de análisis; áreas de Pastos ganado, aquellas en las que en el año 2020 no se presentaba pasto y en el año 2022 se reportaba esta cobertura y, áreas de Pastos perdidos son aquellas en las que en el año 2020 se presentaba pasto y en el año 2022 no se reportaba esta cobertura. Adicionalmente, se incluyen las áreas que no han sido pastos en ninguno de los dos años reportados en el mapa de coberturas, las cuales se clasifican como Otras coberturas.

Credits

Portal de Datos abiertos del Sistema de Información Ambiental Territorial de la Amazonia colombiana.

Use limitations

There are no access and use limitations for this item.

Extent

West -77.319154 **East** -77.026383
North 1.214614 **South** 0.821319

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

[Hide Topics and Keywords ▲](#)

Citation ►

* TITLE Proceso_de_praderización_Pasto

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Resource Details ►

DATASET LANGUAGES * Spanish; Castilian (COLOMBIA)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.2.0.3348

CREDITS

Portal de Datos abiertos del Sistema de Información Ambiental Territorial de la Amazonia colombiana.

ARCGIS ITEM PROPERTIES

* NAME Proceso_de_praderización_Pasto

* SIZE 0.583

* LOCATION file:///\\NAVARRO\E\$\amazonia\Cartografia\Productos Pasto\Región Amazónica Municipio de Pasto.gdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching
 * WEST LONGITUDE -77.319154
 * EAST LONGITUDE -77.026383
 * NORTH LATITUDE 1.214614
 * SOUTH LATITUDE 0.821319
 * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 4519227.527400
 * EAST LONGITUDE 4551818.070900
 * SOUTH LATITUDE 1649053.759900
 * NORTH LATITUDE 1692581.636000
 * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected
 * GEOGRAPHIC COORDINATE REFERENCE GCS_MAGNA
 * PROJECTION CTM12 COLOMBIA
 * COORDINATE REFERENCE DETAILS
 PROJECTED COORDINATE SYSTEM
 X ORIGIN -618700
 Y ORIGIN -8436100
 XY SCALE 10000
 Z ORIGIN -100000
 Z SCALE 10000
 M ORIGIN -100000
 M SCALE 10000
 XY TOLERANCE 0.001
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 WELL-KNOWN TEXT PROJCS["CTM12 COLOMBIA",GEOGCS["GCS_MAGNA",DATUM["D_MAGNA",SPHEROID
 ["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION
 ["Transverse_Mercator"],PARAMETER["False_Easting",5000000.0],PARAMETER["False_Northing",2000000.0],PARAMETER["Central_Meridian",-
 73.0],PARAMETER["Scale_Factor",0.9992],PARAMETER["Latitude_Of_Origin",4.0],UNIT["Meter",1.0]]

REFERENCE SYSTEM IDENTIFIER

* VALUE 0
 * CODESPACE EPSG
 * VERSION 8.1.1

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME Proceso_de_praderización_Pasto
 * OBJECT TYPE composite
 * OBJECT COUNT 4

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME Proceso_de_praderización_Pasto
 * FEATURE TYPE Simple
 * GEOMETRY TYPE Polygon
 * HAS TOPOLOGY FALSE
 * FEATURE COUNT 4
 * SPATIAL INDEX TRUE
 * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME Create Feature Class
 DATE 2023-04-17 08:46:30
 TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\CreateFeatureclass
 COMMAND ISSUED
 CreateFeatureclass C:\sinchi\tmp\temp.gdb tasa Polygon
 C:\sinchi\conn\sigs_sinchi_e4.sde\labsigysr_corp.e4 indicadores.MonAmbMultiTemp100K\labsigysr_corp.e4 indicadores.CPra2020_2022 No
 No "GEOGCS["GCS_SIRGAS",DATUM["D_SIRGAS",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT
 ["Degree",0.0174532925199433]];-400 -400 10000000000;-100000 10000;-100000 10000;8.98315284119521E-09;0.001;0.001;IsHighPrecision"
 # 0 0 0 #
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Select

DATE 2023-04-17 08:46:31

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Analysis Tools.tbx\Select

COMMAND ISSUED

```
Select C:\sinchi\tmp\temp.gdb\tasa
C:\sinchi\conn\sig_sinchi_pub_e4.sde\labsigysr_pub.e4_indicadores.MonAmbMultiTemp100K\labsigysr_pub.e4_indicadores.CPra2020_2022
#
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME Append

DATE 2023-04-17 08:49:40

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\Append

COMMAND ISSUED

```
Append
C:\sinchi\conn\sig_sinchi_e4.sde\labsigysr_corp.e4_indicadores.MonAmbMultiTemp100K\labsigysr_corp.e4_indicadores.CPra2020_2022
C:\sinchi\conn\sig_sinchi_pub_e4.sde\labsigysr_pub.e4_indicadores.MonAmbMultiTemp100K\labsigysr_pub.e4_indicadores.CPra2020_2022
"Input fields must match target fields" # # #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 10:24:31

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

```
FeatureClassToFeatureClass "Praderización 100K" "Z:\6 SIATAC\2 Plataforma\1 Servicios
geográficos\MAC_DatosAbiertos\Praderización\SHp" TMAP_Región_100K_2020_2022.shp # "praderizacion "Praderización" true true false
25 Text 0 0,First,#,Praderización 100K,praderizacion,0,25;area_ha "area_ha" true true false 8 Double 8 38,First,#,Praderización
100K,area_ha,-1,-1;st_area(shape) "st_area(shape)" false false true 0 Double 0 0,First,#,Praderización 100K,st_area(shape),-1,-
1;st_perimeter(shape) "st_perimeter(shape)" false false true 0 Double 0 0,First,#,Praderización 100K,st_perimeter(shape),-1,-1" #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)**Distribution ►**

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class

TRANSFER OPTIONS

* TRANSFER SIZE 0.583

[Hide Distribution ▲](#)**Fields ►**

DETAILS FOR OBJECT Proceso_de_praderización_Pasto ►

* TYPE Feature Class

* ROW COUNT 4

FIELD OBJECTID ►

* ALIAS OBJECTID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD OBJECTID_1 ►

* ALIAS OBJECTID_1

* DATA TYPE Integer

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID_1 ▲](#)

FIELD area_ha ▶
* ALIAS area_ha
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

Hide Field area_ha ▲

FIELD praderizac ▶
* ALIAS praderizac
* DATA TYPE String
* WIDTH 25
* PRECISION 0
* SCALE 0

Hide Field praderizac ▲

FIELD shape ▶
* ALIAS Shape
* DATA TYPE Geometry
* WIDTH 0
* PRECISION 0
* SCALE 0
* FIELD DESCRIPTION
Feature geometry.

* DESCRIPTION SOURCE
Esri

* DESCRIPTION OF VALUES
Coordinates defining the features.

Hide Field shape ▲

FIELD Shape_Length ▶
* ALIAS Shape_Length
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0
* FIELD DESCRIPTION
Length of feature in internal units.

* DESCRIPTION SOURCE
Esri

* DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

Hide Field Shape_Length ▲

FIELD Shape_Area ▶
* ALIAS Shape_Area
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0
* FIELD DESCRIPTION
Area of feature in internal units squared.

* DESCRIPTION SOURCE
Esri

* DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

Hide Field Shape_Area ▲

Hide Details for object Proceso_de_praderización_Pasto ▲

Hide Fields ▲

Metadata Details ▶

* METADATA LANGUAGE Spanish; Castilian (COLOMBIA)
* METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset

SCOPE NAME * dataset

* LAST UPDATE 2024-06-22

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE Item Description

STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2024-06-15 13:15:25

LAST MODIFIED IN ARCGIS FOR THE ITEM 2024-06-22 21:46:17

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2024-06-22 21:46:17

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2024-06-14 19:03:53

FROM E:\amazonia\CTM12\Proceso_de_praderización

TO \\NAVARRO\E\$\amazonia\Cartografia\Productos\Mapa 11\Shape File\Proceso_de_praderización

[Hide Metadata Details ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼